



Standard Equipment

65/35 split fold/tumble/removable rear seat w/outboard head restraints

Floor console w/covered storage

Auxiliary center console pwr outlet

Full carpeting

Front/rear floor mats

Front sill scuff pads

Tilt steering column

Instrument panel-inc: satin silver bezel, 120-mph speedometer, tachometer

Pwr windows w/driver & front passenger one-touch feature

Speed sensitive pwr door locks

Pwr liftgate release

Remote keyless entry w/panic alarm, (2) transmitters

Sentry Key theft deterrent system

Front/rear climate control outlets

Rear window defroster

AM/FM stereo w/CD player-inc: changer controls, (6) premium speakers

Fixed long mast antenna

Analog clock

Locking glove box

Covered sliding visor vanity mirrors

Front dome lamp

Cargo lamp

Color-keyed shift knob

Child seat anchor system LATCH ready

Rear door child protection locks

Single low note horn

Driver/front passenger advanced multistage air bags w/occupant classification system

Body-color front/rear fascias

Rear spoiler

Body-color grille w/chrome accent

Quad halogen headlamps

Remote control manual mirrors

Solar control glass

Variable-intermittent windshield wipers

Rear window wiper/washer

Front license plate bracket

Bright door handles

Deluxe insulation group

City 22/hwy 29 (2.4L engine/5-speed manual trans)

City 21/hwy 26 (2.4L engine/4-speed auto trans)

15.0 gallon fuel tank
 2.4L DOHC SMPI 16-valve I4 engine
 5-speed manual transmission
 2.80 axle ratio
 Front wheel drive
 510 CCA maintenance-free battery w/pwr accessory delay
 120-amp alternator
 Normal duty suspension
 Front stabilizer bar
 P195/65R15 all-season touring BSW tires
 15" x 6" black steel wheels w/bolt-on wheel covers
 Compact spare tire
 Pwr rack & pinion steering
 Pwr steering fluid cooler
 Pwr front disc/rear drum brakes

Optional Equipment

CLOTH LOW-BACK FRONT BUCKET SEATS (STD)
 4-WHEEL ANTI-LOCK FRONT DISC/REAR DRUM BRAKES
 MANUFACTURER STATEMENT OF ORIGIN
 ENGINE BLOCK HEATER
 SIRIUS SATELLITE RADIO
 FRONT SIDE-IMPACT AIR BAGS
 4-SPEED AUTOMATIC TRANSMISSION (REQ: NAA, NAE, YCH or YCF Emissions)
 5-SPEED MANUAL TRANSMISSION (STD) (REQ: NAS Emissions)
 NATIONAL REGION
 TEXAS REGION -inc: regional CMA base price adjustment
 CALIFORNIA REGION -inc: regional CMA base price adjustment
 NEW ENGLAND STATES REGION -inc: regional CMA base price adjustment *Available only in CT, MA, ME, NH, RI, VT*
 NEW YORK/NEW JERSEY REGION -inc: regional CMA base price adjustment
 NATIONAL DELIVERY
 HAWAII DELIVERY -inc: destination charge adjustment
 P195/65R15 ALL-SEASON TOURING BSW TIRES (STD)
 STANDARD PAINT (STD)
 EXTRA COST METALLIC PAINT
 EXTRA COST PEARL COAT PAINT
 BORDER STATE EMISSIONS *Provides CT, NH, NJ, PA, RI, OR, NV or AZ emissions for units shipped to dealers in Federal emission areas*
 50-STATE EMISSIONS
 45-STATE FEDERAL EMISSIONS
 CALIFORNIA, MAINE, MASSACHUSETTS, NEW YORK, VERMONT EMISSIONS
 EMISSION WAIVER *Provides Federal emissions for dealers in CA, MA, ME, NY or VT for units shipped to Federal emission areas*
 AIR CONDITIONING BYPASS
 AIR CONDITIONING

27D CUSTOMER PREFERRED ORDER SELECTION PKG -inc: 2.4L I4 engine, 5-speed manual trans

28D CUSTOMER PREFERRED ORDER SELECTION PKG -inc: 2.4L I4 engine, 4-speed auto trans *Upon selection of this pkg, the cost of powertrain components will be added*

Available Colors

Electric Blue Pearl -- Pastel Slate Gray

Marine Blue Pearl -- Pastel Slate Gray

Magnesium Pearl -- Pastel Slate Gray

Inferno Red Crystal Pearl -- Pastel Slate Gray

Bright Silver Metallic -- Pastel Slate Gray

Cool Vanilla -- Pastel Slate Gray

Black -- Pastel Slate Gray

Consumer Information

Frontal Passenger : ****

Side Driver : ****

Side Rear Passenger : *****

Crash Test Note : Results based on a 35 MPH frontal crash and 38.5 MPH side crash. Results are reported in a range of one to five stars, with five stars indicating the best crash protection for vehicles within the same weight class. This test used driver and passenger belts and airbags.

NHTSA Rollover Rating : ****

Rollover Note : The Rollover Resistance Rating is an estimate of your risk of rolling over if you have a single vehicle crash. It does not predict the likelihood of that crash. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is. The more "top-heavy" the vehicle, the more likely it is to roll over. The lowest rated vehicles (1-star) are at least four times more likely to roll over than the highest rated vehicles (5-stars).

NHTSA CAMPAIGN ID : 07V149000

Mfg's Report Date : 04/03/2007

Component : VISIBILITY:GLASS, SIDE/REAR

Potential Number of Units Affected : 38447

Summary : ON CERTAIN PASSENGER VEHICLES, THE REAR QUARTER GLASS ATTACHING FASTENERS MAY PULL THROUGH THEIR MOUNTS AND ALLOW THE GLASS TO SEPARATE FROM THE VEHICLE.

Consequence : IF THE GLASS SEPARATES WHILE DRIVING, IT COULD STRIKE ANOTHER VEHICLE OR INJURE A PEDESTRIAN.

Remedy : DEALERS WILL INSPECT THE REAR QUARTER GLASS AND REPLACE IT IF NECESSARY. THE RECALL IS EXPECTED TO BEGIN DURING MAY 2007. OWNERS MAY CONTACT DAIMLERCHRYSLER AT 1-800-853-1403.

Notes : DAIMLERCHRYSLER RECALL NO. G01. CUSTOMERS MAY CONTACT THE NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION'S VEHICLE SAFETY HOTLINE AT 1-888-327-4236 (TTY: 1-800-424-9153); OR GO TO [HTTP://WWW.SAFERCAR.GOV](http://www.safercar.gov).

Basic Years : 3

Basic Miles/km : 36,000

Drivetrain Years : 3

Drivetrain Miles/km : 36,000

Drivetrain Note : Unlimited Years/Unlimited Miles for vehicles sold after 07/26/2007

Corrosion Years : 5

Corrosion Miles/km : 100,000