

Code	Audi option description	VW option description
0CQ	Installation differentiation for build status of vehicle class C (AUDI 440)	Vehicle class differentiation -607-
0CT	Vehicle class differentiation 2D0	Vehicle class differentiation -970-
0F0	Fuel system gasoline injection / naturalgas	Fuel system for gasoline injection engine, natural gas
0FN	Vrchlabi manufacturing sequence	Eurocar manufacturing sequence
0G6	Modified gearshift lever large distance to double bench seat	Tiptronic with rolling mode
0KB	Label "Deutsche Post AG" and sticker "post-horn"	Car of the Year
0PA	Nameplate set "Supersurf"	Without nameplate set
0PQ	Nameplate set "V5" (20V)	Limited Edition
1BX	Shock absorption for rough-road design	Slave suspension/shock absorption
1CL	Vehicle class differentiation 7J0	Vehicle class differentiation 7F0
1CP	Vehicle class differentiation 7H0	Vehicle class differentiation 7E0
1JM	Rear shock absorption for rough road AUDI design	Rear shock absorption for rough-road design
1M1	Trailer hitch with hitch ball, lockable and removable, increased towing capacity	Trailer hitch preparation
1NF	Wheel center cover and wheel trim ring	Wheel center cover and decorative rim ring
1NG	Wheel center cover and wheel trim ring	Wheel center cover and decorative rim ring
1NS	Covers for wheel hubs/wheel bolts and wheel trim ring	Covers for wheel hubs/wheel bolts and decorative rim ring
1Z9	Without fuel filling	Without factory fuel filling
2BG	MAN M-Number	With hydraulic pump, hydraulic/electric
2H6	Drive select and conventional damper	"drive select"
2JP	Painted bumpers varying from body color	Bumper
2RA	Name plate set in base trim with label "Ecomatic"	Nameplate set
2RB	Name plate set "CL" with label "Ecomatic"	Nameplate set
2WN	Winter tires 175/65 R 13T with steel wheel 5.5J x 13, offset 43 (C1R) and cover for wheel hubs	Additional winter tires
2Z9	Type sign at rear or "Quattro" nameplates respectively and quattro GmbH badge	Type sign at rear and "Quattro" nameplates respectively
3LF	Door and side trim panel in foam film and split-knit	Door and side trim panel in foam film, insert in leatherette
4B5	Protective side molding (top version) with trim stripe	Protective side molding
4B6	Protective side molding painted with UV paint	protective side molding
4E6	Tailgate/trunk lid release from inside only	Sensor-controlled luggage compartment opening
4QU	3-point seat belts with tensioner and electric height adjustment front	3-point seat belts front w/ tensioner (electr.) and height adjustment

5CD	Roof interior trim with hardboard in caband passenger/load compartment	Roof interior trim, comfort molded headlining in driver comp., hardboard with roof net in passenger compartment
5D8	Carrier frequency 868 MHz with panic button	Carrier frequency 433.92 MHz
5K8	Transit coating (AUDI delivery center/VWAutostadt)	Vehicle protection for Audi customer center
5TA	"Tamu" wood trim	Tamo wood trim
5TV	Decorative inserts, "Timbalex"	Decorative inserts
5ZN	Articulated and height-adjustable headrests plus headrests for Camper bench seat	Articulated and height-adjustable headrests plus headrests for bench seat
7F2	Rubber gearshift knob	Wooden gearshift knob
7L1	Recuperation with 12.2 V	Regenerative braking with 12.2 V
7L3	Without start/stop system, without recuperation	Without start/stop system without regenerative braking
7L6	Start/stop system with recuperation	Start/stop system with regenerative braking
7L7	Recuperation with 12.5 V	Regenerative braking with 12.5 V
7L8	Start/stop system with recuperation	Start/stop system with regenerative braking
7L9	Without start/stop system, without recuperation (BlueMotion)	Without start/stop system without regenerative braking (BlueMotion)
7LH	Vehicle class differentiation -5KC-	Vehicle class differentiation -5KK-
7MN	Emission standard EU2 for Japan	Emission standard EU5 for Japan
7RP	SD card (China)	Without navigation system, without VCA Virtual Car Assistant
7TH	Decorative mercury inserts	Decorative inserts
8FC	Second battery 265A (54Ah)	Installation of SLI battery in rear, without second battery
8HC	Preparation for second alternator	Second 80-A alternator
8RB	Eight speakers with BOSE sound (passive)and subwoofer	Speaker
8RU	Sound system with subwoofer	Sound system with subwoofer "branded"
8UY	Radio "Bravo"	Radio "RCD300 Plus"
8UZ	Radio "gamma" f. digital sound processor	Radio preparation (for 4 speakers)
8ZB	Without AM/FM reception	Antenna for FM reception only
9JG	MAN M-Number	Smoking package, ashtray front and rear, retractable ashtray in rear
9W6	Mobile phone installation "Mid" without phone	Preparation for telephone with voice control without 3-key module
9WE	DVD connection in rear compartment	With multimedia for external use
9ZB	All-purpose cellular phone preparation Ultra Low	UHV High
9ZS	Emergency call system (for NAR) (telematics 1 permanent installation)	Preparation for telephone internal all- purpose cellular phone preparation with voice control
9ZT	Car phone preparation for NAR and Japan	Preparation for telephone internal all- purpose cellular phone preparation with

		voice control with cradle
9ZV	Emergency call system (for NAR) (telematics 1 permanent installation plus mobile phone)	Comfort telephony, without antenna connection
B1H	Component parts set, complying with vehicle type for Interamericana, various parts	Component parts set, complying with vehicle type for the Caribbean, various parts
BA8	Asia Pacific left-hand drive	Asia Pacific for driving on the right
BA9	Asia Pacific right-hand drive	Asia Pacific for driving on the left
C0A	steel wheels 4 1/2J x 13 offset 35	Alloy wheels 8.5J x 17
C1E	Cast alloy wheels 6.5J x 16 offset 42 (1C0 601 025 N)	Alloy wheels 6.5J x 16
C1L	Cast alloy wheels 7J x 16 five-arm style, offset 45	Alloy wheels 5.5J x 15 Offset 41
C3V	Steel wheels 5.5J x 15 Offset 34	Alloy wheels 6J x 15
C4E	Alloy wheels 8J x 16	Alloy wheels 7J x 16
C4Q	Cast alloy wheels 7J x 16 offset 37 (3B0 601 025 L)	Alloy wheels 8J x 18
C4V	Forged alloy wheels 6J x 15 ten-hole style, offset 38	Alloy wheels 8J x 17
C5B	Cast alloy wheels 6J x 14 offset 43 (6X0 601 025 F)	Alloy wheels 9.5J x 20
C5D	Forged alloy wheels 4.5J x 14 offset 38; 6E0 601 025 D	Alloy wheels 9.5J x 20
C5E	Steel wheels 6J x 15 Offset 37	Alloy wheels 8.5J x 19
C5S	Cast alloy wheels 6J x 14 offset 43 (6X0 601 025 G)	Alloy wheels 8J x 19
C5U	Cast alloy wheels, PAX system 235 x 500	Alloy wheels 6.5J x 16
C5V	Alloy wheels 7.5J x 16 (4F0 601 025 E) offset 45	Alloy wheels 7.5J x 16
CC8	Forged alloy wheel 7.5J x 17 5-arm style, offset 32	Alloy wheels 5J x 15
CD4	Alloy wheels 9J x 21	Alloy wheels 9.5J x 20
D05	6-cyl. gasoline eng. 2.8 l/150 kW 24V FSI, V6 Base engine is T44	6-cyl. gasoline eng. 2.8 l/150 kW 24V V6 FSI Base engine is T44/T8Z
D1T	6-cyl. turbo dies. eng. 3.0 l/165 kW 24V V6 TDI, common rail Base engine is T41/TE1	6-cyl. turbo dies. eng. 3.0 l/165 kW 24V Base engine is T41/TE1/TH1
D2D	4-cyl. gasoline engine 2.0 l/155 kW 16V turbo FSI, homogeneous Base engine is TM2/TV2/TG6/TJ6/TD6/TW6	4-cyl. gasoline engine 2.0 l/155 kW 16V turbo FSI, homogeneous Base engine is TM2/TV2/TG6/TJ6/TD6/TP6
D3H	4-cylinder gas. engine 1.6 L/77 kW (16V) with multi-point injection Base engine is T27/TL0/TT0	4-cylinder gas. engine 1.6 L/77 kW (16V) with multi-point injection Base engine is T27/TL0/TT0/TV5
D49	4-cyl. turbo dies. eng. 2.0 l/120kW (4V) TDI, BIT common rail Base engine is TV3	4-cyl. turbo dies. eng. 2.0 l/132kW (4V) TDI, BIT common rail Base engine is TV3/TV4
D4Q	4-cylinder gasoline engine 1.4 L/61 kW intake manifold injection base engine is TE0/TA6	4-cylinder gasoline engine 1.4 L/61 kW intake manifold injection base engine is TE0/TA6/TR5
D4W	4-cyl. gasoline engine 1.4 l/59 kW 16V Base engine is TT1/TQ1	4-cyl. gasoline engine 1.4 l/59 kW 16V Base engine is TT1

D60	4-cyl. gasoline engine 2.0 L/162 kW 16V turbo FSI, homogeneous base engine is T61	4-cyl. gasoline engine 2.0 l/162 kW 16V turbo FSI, homogeneous Base engine is T61,TW6,TP6
D61	4-cyl. gasoline engine 2.0 L/162 kW 16V turbo FSI, homogeneous base engine is T61	4-cyl. gasoline engine 2.0 l/162 kW 16V turbo FSI, homogeneous Base engine is T61,TW6,TP6
D64	4-cyl. gasoline engine 2.0 L/132 kW 16V turbo FSI, homogeneous Base engine is TM2/TV2/TL6/TG6/TR6/TS6	4-cyl. gasoline engine 2.0 L/132 kW 16V turbo FSI, homogeneous Base engine TM2/TV2/TL6/TG6/TR6/TS6/TD6
D69	4-cyl. gasoline engine 2.0 L/155 kW hybrid, turbo FSI, homogeneous Base engine is TC8	4-cyl. gasoline engine 2.0 L/155 kW hybrid, turbo FSI, homogeneous Base engine is TC8/TH5
D6J	4-cyl. gasoline engine 1.8 l/125 kW 16V turbo FSI, homogeneous Base engine is TH2/TJ2/TF6/TQ6	4-cyl. gasoline engine 1.8 l/125 kW 16V turbo FSI, homogeneous Base engine is TH2/TJ2/TF6/TQ6/TF5
D94	4-cyl. turbo diesel engine 2.0 l/100 kW (4V) TDI common rail, base engine: TG3/TJ3/TH3/TU3/TL4/TM4/TP4/TP5	4-cyl. turbo diesel engine 2.0 l/100 kW (4V) TDI common rail, base engine: TG3/TJ3/TH3/TU3/TL4/TM4/TP4/TP5/TM3/TW3
DB3	6-cyl. gasoline eng. 2.8 l/162 kW 24V FSI, V6 Base engine is T44	6-cyl. gasoline eng. 2.8 l/162 kW 24V V6 FSI Base engine is T44/TZ8
DE2	4-cyl. turbo dies. eng. 2.0 l/130 kW 4V TDI common rail Base engine is TR1	4-cyl. turbo dies. eng. 2.0 l/130 kW 4V TDI common rail Base engine is TR1, TD1, TM4
DX4	6-cyl. turbo diesel eng. 6.87L/290 PS Euro 5, MAN Base engine is TZ6	6-cyl. turbo diesel eng. 6.87L/275 PS Euro 5, MAN Base engine is TZ6
DY5	4-cyl. turbo diesel eng. 4.58L/180 PS Euro 5, MAN Base engine is TZ7	4-cyl. turbo diesel eng. 4.58 l/185 PS Euro 5, MAN Base engine is TZ7
DY6	4-cyl. turbo diesel eng. 4.58L/220 PS Euro 5, MAN Base engine is TZ7	4-cyl. turbo diesel eng. 4.58 l/223 PS Euro 5, MAN Base engine is TZ7
E1H	"en vogue"	Comm. Beneteau 58
E1M	South Africa model	Comm. Jeanneau 57
E1V	Chassis/cab for Mexico	Jetta Clasico
E2U	20 years Golf GTI	GTI "Co-Branding"
EA1	3 years subsequent warranty, max. 30,000 km	1 year subsequent warranty, max. 30000 km
EA2	3 years subsequent warranty, max. 60,000 km	1 year subsequent warranty, max. 60000 km
EA3	3 years subsequent warranty, max. 90,000 km	1 year subsequent warranty, max. 90000 km
EA4	4 years subsequent warranty, max. 40,000 km	2 years subsequent warranty, max. 40000 km
EA5	4 years subsequent warranty, max. 80,000 km	2 years subsequent warranty, max. 80000 km
EA6	4 years subsequent warranty, max. 120,000 km	2 years subsequent warranty, max. 120000 km
EA7	5 years subsequent warranty, max. 50,000 km	3 years subsequent warranty, max. 50000 km
EA8	5 years subsequent warranty, max. 100,000 km	3 years subsequent warranty, max. 100000 km
EA9	5 years subsequent warranty, max. 150,000 km	3 years subsequent warranty, max. 150000 km
EM1	Rest Assist	Rest Assist (drowsiness detection)
F4D	Special vehicle for China (SKD)	Military version
H0F	Tires 225/70 R15 C 112/110R	Tires 295/35 R21 107Y x1 (NAR)

H0H	Winter tires 225/70 R15 C 112/110R	Tires 275/40 ZR20 106Y Reduced rolling resistance
H0M	Tires 175/60 R15 V	Tires 275/35 ZR21 103Y Reduced rolling resistance
H0Y	Tires 195/70 R15 97S reinforced	Tires 165/65 R15 81T reduced rolling resistance
H1A	Tires 185/50 R16 V	Tires 185/50 R16 81T
H1W	Tires 145/80 R 14 T, ultra-light	All-weather tires 165/65 R15 81T (NAR)
HA3	Tires 225/35 R18 90W x1	Tires 175/70 R14 84H
HB0	Tires 225/40 R 18 88Y	All-weather tires 255/40 R19 96H (NAR)
HG2	Tires with PAX system 265/740 R 500 108Y	Tires 235/40 R19 92V
HG9	Tires 225/45 R17 94H xl US all-weather tires	Tires 225/50 R17 94W (polymer coating)
HL1	Tires 185/65 R14 86H	All-weather tires 215/60 R17 96V
HL4	Tires 195/55 R15 85H with reinforced side panel	All-weather tires 235/50 R18 97V<
HM0	Tires 255/40 R18 98Y xl	Tires 205/55 R16 91T
HZ4	All-weather tires 255/40 R20 ??? (NAR)	Tires
J0U	Battery 265 A (54 Ah) with duty drawback	Battery 300 A (48 Ah)
K8S	Notchback with long frame forestructure	Sports sedan
K8U	Pickup "Fun"	Spider
KK3	Refrigerant R1234yl	Refrigerant HFO1234yf
M49	5-cyl. turbo diesel engine 2.5 L/103 kW with MVEG 2 base engine is T4E	5-cyl. turbo diesel 2.5 L/103kW
M9X	4-cylinder gasoline engine 1.8 L/65 kW with closed-loop catalytic converter base engine is T1U	6-cyl. gasoline engine 2.5 l/150 kW FSI Base engine is TF8
MX0	Electric motor 22kW base engine is T9Z	Electric motor 85 kW base engine is T9Z
N1N	Circular-knit cut pile seat covering	Fabric seat covering
N2H	Chenille cut pile seat coverings	Fabric seat covering
N3K	Seat covering "Staccato", AUDI	Fabric seat coverings
QR0	Without compass/traffic sign display	Without compass/traffic sign display/ traffic signs recognition
QU5	T-DMB Tuner	T-DMB Tuner (South Korea)
QV6	TV reception and sat. radio recept. USA	Preparation for digital radio reception
QV7	Preparation f. satellite radio reception	TV reception and preparation for digitalradio reception
S0M	Special model "Executive" for Romania	Extra Czech Republic
S0N	Taxi, the Canaries	Extra Czech Republic if WSY is specified
S0P	Rent a Car, the Canaries	Varying installation
S0V	Control of press demonstration vehicles for USA	Varying installation

S0W	Steering generation 2	Installation of RNS 510 instead of RCD 310/510
S0Y	Price harmonization	euroFOT project
S11	Touran, "Auto 5000" employee	Last Edition Touareg
S1H	Control of LT 28 window van with 2.95 t gross vehicle weight rating	No additional charge for "Area View"
S1N	Different dashboard/door trim panel installation (4N2, 3LC)	Control of destination deviations
S1S	Copy for bodywork manufacturer	Special accessories installation in after-sales shop
S1T	xxxxx	Sweden trade in 2010
S20	MFD	Birthday Edition Finland
S26	Spot transaction, Poland/Romania	Control for deviation permit VZ57831E (preparation for installation of DAB aftermarket equipment)
S28	TL2n105	Installation of RNS 510 instead of RNS 310
S2B	Use of black moldings (4ZE instead of 4ZB)	Reduced price
S2C	MKD body for VW plant Poznan	"B6 Variant Highline China"
S2F	2-component water-based base coat + Slurry 2 (water-based clear coat) without filler	Internal vehicle tracking
S2G	Vehicles for summer break production	ADAC vehicles
S2P	Customer service center	Color support Israel taxi
S2R	Installation of winter tires instead of all-weather tires	Fleet support Israel
S2Y	Installation of basic dashboard (4N0 instead of 4N2)	Dealer finish
S2Z	Control of right-hand drive vehicles in left-hand drive markets	Model phase
S32	Conquest-sales special edition/trade-in	CAN and FlexRay data logger line
S33	TL4nRest	CAN and MOST data logger line
S34	Fleet vehicles for Mexico, SEAT "Sports"	Data logger line for special device connection (e.g. head unit MMI 3G)
S3Z	Deviating installation of navigation system (CD instead of navigation system)	Private Edition
S7J	Deviating installation of package "RNC" RNS300 instead of "RGC" RCD310	Deviating installation
S92	Sale or return for plant employees vehicles	Blue Motion campaign for major customers Model Year 11
T8Z	4-cylinder gasoline engine 1.8 L unit 041.U	6-cylinder gasoline engine 2.8 L unit 06E.J
TT6	4-cylinder gasoline engine 1.6 l 03J.A	4-cylinder gasoline engine 1.0 l Unit 030.9
UE2		Electrical interface for external use, AMI plus WLAN
VA0	Without bolster/pillow	Without cushion/pillow